

مرفق رقم (1) شركة مصافي الجنوب (شركة عامة)

العدد : 329
التاريخ : 2026/7 /16

هياة المواد
شعبة الشراء المباشر

م/ اعلان طلبية شراء (2026 /8191)

تعلن شركة مصافي الجنوب (شركة عامة) طلبيات شراء كما في ادناه فعلى الراغبين بالتجهيز التقديم على الطلبات المعلنة سحب استمارة العروض وكذلك الشروط والمواصفات واي مرفقات اخرى واملانها (سعر المفرد والمجموع رقما وكتابة مع تثبيت التاريخ وكذلك التوقيع والختم الحي على استمارة العروض وكذلك الشروط والمواصفات وكافة المرفقات) ويرفق مع العرض المستمسكات البيانات ادناه:

1-نسخة حديثة مصورة من هوية غرفة التجارة بالنسبة للمكاتب.

2-نسخة مصورة من هوية تصنيف بالنسبة لشركات المقاولات

3-نسخة مصورة من هوية الأحوال المدنية أو البطاقة الوطنية للمدير المفوض

4-نسخة مصورة من بطاقة السكن 5-شهادة تأسيس الشركة

6- تزويدنا بعنوان كامل ودقيق للمجهز او الشركة واقرب نقطه داله ورقم الهاتف ويلتزم مقدم العطاء بتثبيت عنوانه و ايميل فعال كتابه في ورقه مستقله طباعه ومختوم وتقدم تأييد سكن مصدق من المجلس البلدي حديث يتضمن مكان الشركة او المكتب مع رقم الحساب المصرفي IBAN

7-تقديم هوية ضريبية نافذة المفعول عند تقديم العروض وكذلك عند صرف المستحقات

يتم وضع العروض والمستمسكات والبيانات أعلاه في مغلف ويعنون الى شركة مصافي الجنوب (مع تزويدنا جميع المعلومات على قرص يرفق مع العروض الورقية) /هينه المواد/شعبة الشراء المباشر ويثبت عليه المعلومات التالية :-

أ- رقم الطلبية وتاريخها .ب- موضوع الطلبية .ج- تاريخ الغلق .د- اسم الشركة المقدمة مع الختم على طرفي المغلف .

و- مراجعة مقر الشركة الكائن في الشعبة / استعلامات الشركة الخارجية لغرض تسليم العروض في الصناديق المخصصة علما اخر موعد لتسليم العروض قبل الساعة الثانية عشر ظهرا من يوم الغلق .

8-في حال قيام الشركات او المكاتب باي عملية فساد او احتيال او تواطى سوف تلغى الاستمارة المقدمة ويتم ايقاف التعامل مع تلك المكاتب او الشركات ويتم اتخاذ كافة الاجراءات القانونية بحقهم

9- في حالة مصادفة يوم الغلق عطلة رسمية وعدم وجود دوام لأي سبب كان يؤجل موعد الغلق الى اليوم الذي يليه .

10- يكون تواجد لجنة استلام العروض ايام (الاحد - والثلاثاء - والخميس) من كل اسبوع

11- اعتبار تاريخ التبليغ عن طريق الايميل بداية فتره التجهيز على الإحالة

12- يكون تفرغ المواد داخل المخازن الشركة (واصله داخل المخزن) مع العمال

13- بإمكان المجهزين المخولين الراغبين في الحضور اثناء عملية سحب وفتح العروض الحضور الى مقر الشركة بعد الساعة 12 ظهرا ليوم الغلق .

14-يجب ان يكون هناك عرض فني ليتم المطابقة .

15-على جميع شركات تنفيذ الاعمال مع شركتنا تخصيص مشرف سلامه من قبلكم لديه الخبرة بالعمل في القطاع النفطي (يجب ان يمتلك شهاده في السلامة بالمواقع النفطية)

16-يقدم المجهز تعهد بالالتزام بالشروط المطلوبة في المواصفات المرفقه (9 فقرات (تجهيز المواد الكيماوية)) ومنها شهاده المنشأ وشهاده الفاحص الثالث...الخ عند التجهيز

ت	رقم الطلبية	المواد المطلوبة	تاريخ الغلق
1	2026/8191	اجهزه اتصال لاسلكي +جهاز تقويه اشارته	2026/7/23
		وحسب استمارة العروض المرفقة	

نسخة منه الى:-

قسم تقنية المعلومات لغرض النشر بالموقع الالكتروني...مع التقدير

شعبة الشراء المباشر.. مع الاوليات

لجنة استلام العروض ... للعلم لطفا

لجنة اعتدال الأسعار

حسين جاسم /اسيل

مسؤول شعبة الشراء المباشر

حيدر عبد الخضر عبد الصاحب

السادة المحترمين

تاريخ تنظيم الاستمارة : 2026/7/16

ترغب الشركة شراء المواد المدرجة ادناه راجين تثبيت الاسعار الفقرات المتوفرة و اعادة الطلب موقع من قبلكم قبل نهاية الدوام الرسم ليوم ملاحظة/ في حال تجاوز مبلغ الاحالة عن 50,000,000 دينار فقط خمسون مليون ،دينار يتوجب تنظيم عقد مع الشركة يتضمن تقديم المستمسكات المطلوبة وفق تعليمات تنفيذ العقود الحكومية رقم 2 لسنة 2014 يرفق مع العرض نسخة من هوية غرفة التجارة مع الهوية الضريبية نافذة

ت	الموصفات	الكمية المطلوبة	المنشأ المطلوب	فتره التجهيز	سعر المفرد بالدينار	الملاحظات
1	اجهزه اتصال لاسلكي +جهاز تقويه اشارته				رقماً	كتابة
	وحسب المواصفات المرفقة				المبلغ الاجمالي رقما	
					المبلغ الاجمالي كتابه	

- ملاحظة/ مدة نفاذية العرض لا تقل عن ثلاث (3) اشهر
- يمنع الحك و الشطب و التصحيح بالاستمارة
- يغلق و يختم الظرف من قبل المجهز

اسم المجهز :
توقيع المجهز :
التاريخ :
ختم المجهز :



يتبع لطفا (2-1)

شروط التجهيز لطلبات الشراء المباشر

- 1- يلتزم مقدم العطاء الذي تحال عليه الطلبية بتجهيز الشركة بالمواد المحددة مواصفاتها و منشئها في استمارة طلب الاسعار المرفقة و الذي يعتبر جزء لا يتجزأ من هذه الطلبية كما و يلتزم بان تكون كافة المواد جديدة و غير مستعملة الا اذا ورد غير ذلك .
- 2- تدون اسعار العطاء بالعدد رقماً و كتابة و يكون السعر لوحده لكل فقرة كما هو مدون في استمارة طلب الاسعار دون تغيير او تعديل و يجب ان تكون الشروط و استمارة الاسعار المختومة بختم شركة مصافي الجنوب و موقعة من قبل مقدم العطاء و ختم المحل او الشركة عليه .
- 3- لا يجوز الحك او الشطب في استمارة طلب الاسعار و كل تصحيح في الاسعار او غيره يجب اعاده كتابته رقماً و كتابةً و التوقيع اذاه .
- 4- يلتزم مقدم العطاء الذي تحال عليه الطلبية بتجهيز كافة المواد المطلوبة خلال () يوم تبءء من تاريخ التبليغ بالإحالة و بعكسه فانه يتحمل غرامة تأخيريه يتم احتسابها لاحقاً حسب المعادلة (مبلغ الطلبية/مدة العقد *10%) على ان لا يتجاوز مجموع الغرامات التأخيرية عن 10% من قيمة الطلبية و في حالة التجاوز يحق للشركة تنفيذ الطلبية على حساب المجهز.
- 5- تستلم المواد بعد فحصها من قبل لجنة فنية مختصة في الشركات تؤيد صلاحيتها للعمل و اذا ظهر عدم صلاحيتها او عدم مطابقتها للمواصفات المطلوبة المواصفات المطلوبة و خلال فترة اسبوع من تاريخ التبليغ بعدم المطابقة و بعكسه يتم تحميله يلتزم المجهز بتبديل هذه المادة و بنفس الغرامات التأخيرية المنصوص عليها في الفقرة (4) اعلاه .
- 7- يتم صرف مستحقات المجهز بعد تسلم كافة المواد وفق المواصفات و الشروط المطلوبة و اصدار استمارة المطابقة و مستندات الاستلام النهائية .
- 8- الشركة غير ملزمة بقبول اوطأ العطاءات و الطلبية قابلة للتجزئة حسب اوطأ الاسعار .
- 9- يلتزم مقدم العطاء بتثبيت عنوانه ورقم هاتفه و إيميل فعال و التوقيع على كافة الشروط و جداول للطلبية .
- 10- يحق للشركة اهمال اي عطاء لا تتوفر فيه الشروط المطلوبة كما يحق لها الغاء الطلبية .
- 11-16- يقدم المجهز تعهد بالالتزام بالشروط المطلوبة في المواصفات (9 فقرات (تجهيز المواد الكيماوية)) ومنها شهادته المنشأ و شهادته الفاحص الثالث... الخ عند التجهيز

اطلعت على الشروط اعلاه



- الاسم الكامل :

- العنوان الكامل :

- رقم الهاتف الفعال :

- لتوقيع:

- E mail: يكتب الايميل بصورة واضح

MOTOROLA MOTOTRBO Repeater SLR 8000 and MOTOROLA MOTOTRBO DP4401EX / VHF

1- Scope of work

1. Supply, Installation, Programming, Operation, and Training for Repeater According to the Following Conditions :
 - The Repeater SLR 8000 device shall be installed and mounted in the designated cabinet (22U) inside the Communications Division building.
 - The TX and RX antennas for the Repeater SLR 8000, along with their accessories (GPS cable and lightning protection), shall be installed on top of the communications tower at a height of 50 meters.
 - The Repeater SLR 8000 shall be programmed according to the frequencies used by the company's Walky Talky devices and licensed by the Communications and Media Commission.
 - On-site training shall be provided at the company headquarters for five engineers on the installation, operation, and programming of the above-mentioned devices.
2. Supply, Installation, Programming, Operation MOTOROLA MOTOTRBO DP4401EX / VHF.


سيد محمد حسن
م. شعبة الاتصالات



MOTOROLA MOTOTRBO Repeater SLR 8000

Scope of work

Supply, Installation, Programming, Operation, and Training for Repeater According to the Following Conditions :

1. The Repeater SLR 8000 device shall be installed and mounted in the designated cabinet (22U) inside the Communications Division building.
2. The TX and RX antennas for the Repeater SLR 8000, along with their accessories (GPS cable and lightning protection), shall be installed on top of the communications tower at a height of 50 meters.
3. The Repeater SLR 8000 shall be programmed according to the frequencies used by the company's Walky Talky devices and licensed by the Communications and Media Commission.
4. On-site training shall be provided at the company headquarters for five engineers on the installation, operation, and programming of the above-mentioned devices.

Supply Terms

1. The supplier must hold a valid license from the Communications and Media Commission to sell and distribute the above-mentioned devices and must provide a copy of the license.
2. The devices shall be covered by a maintenance warranty for a period of 356 days.
3. Manufactures Authorization Form (MAF) Confirmation that the required devices will be supplied through an Authorized Distributor to the South Refineries Company .



٢٠١٨ - ٢٠١٩

سبحي مكيال حسين
م. شعبة الاتصالات

Description/MOTOROLA MOTOTRBO / Repeater SLR 8000 VHF	QTY
- Original MOTOROLA MOTOTRBO Repeater SLR 8000 . - Frequency Range (VHF 136-174 MHz) . - Channel Capacity 64 . - Input Voltage (AC) 100-240 VA.C , 47-63 Hz . - Operating Temperature Range -30 to +60 °C (-22 to +140 °F) . - Receiver : • Channel Spacing : 12.5/20/25KHz . - Transmitter : • Channel Spacing : 12.5/20/25KHz . • Power Output : 100 W - Accessories : • Antenna VHF (136-174 MHz) - Omni- directional fiberglass whip Type . - High-gain (6–12 dBi) . - Vertical Polarization . - Maximum power 100 watt or higher . - VSWR less 1- 1.5 . - Length from 1.5 to 4 m . - Weather resistant , Water proof (IP66 or higher) , Corrosion resistant , and UV resistant , lightning resistant . - Grounding: TX and RX antenna structure will be connected to a grounding system using 16 mm² copper conductors and driven ground rods (<5 ohms resistance) . • TX and RX Cable (RG213 or LMR 600) 100 m for each With N-type connectors. • GPS Cable LMR 600 100 m With N-type connectors . - Guaranty for TWO Years Repeater . - Guaranty for ONE Years Accessories . - Origin : USA , Malaysia , Mexico .	1
Supporting Equipment and Devices	
Cabinet 22 U with its accessories (Locks, swing lock, glass front door, top panel reserved fan spots and both front/rear cable entry, cable manager , PDU etc.).	1
Rack Mount UPS 3000 KV	1
Software and Programming FOR Repeater	
Programming software (CD original) .	2
Programming cable for mode .	2



٢٠٢٢/١

سبحي محمد حسين
م. شعبة الاتصالات

المواصفات الفنية لأجهزة الاتصال اللاسلكية (WALKY TALKY)

Description	QTY
MOTOROLA MOTOTRBO DP4401EX / VHF	
- Original MOTOROLA MOTOTRBO DP4401EX Hand portable, Digital Two way Radio Mototrbo . With following features: - Frequency Band: VHF (136-174) MHZ. - Zone Capacity : 2 -Power Supply :7.4V Nominal -Ingress Protection (IP) Rating :IP67 - Typical battery life :min.16 hrs -Receiver : • Channel Spacing :12.5/20/25KHz • Rated Audio :0.5W -Transmitter : • Channel Spacing :12.5/20/25KHz • Power Output:1W - Accessories: • Antenna VHF • 2075 mAh Li- ion Battery(ATEX) • Single Unit Chargers • ATEX 2.5 Belt clip - Guaranty for one year operation. - Origin: Japan, USA , Malaysia.	20
- Programming software (CD original)	2
- Programming cable for model DP4401EX	2



Supply Terms :

1. The supplier must hold a valid license from the Communications and Media Commission to sell and distribute the above-mentioned devices and must provide a copy of the license.
2. The devices shall be covered by a maintenance warranty for a period of 356 days.
3. Manufactures Authorization Form (MAF) Confirmation that the required devices will be supplied through an Authorized Distributor to the South Refineries Company .

C. 67/2/1
 سید محمد حسین
 شعبة الاتصالات

2-Specifications

Item	Specifications
1.	MOTOROLA MOTOTRBO / Repeater SLR 8000 VHF - Original MOTOROLA MOTOTRBO Repeater SLR 8000 . - Frequency Range (VHF 136-174 MHz) . - Channel Capacity 64 . - Input Voltage (AC) 100-240 VA.C , 47-63 Hz . - Operating Temperature Range -30 to +60 °C (-22 to +140 °F) . - Receiver : • Channel Spacing : 12.5/20/25KHz . - Transmitter : • Channel Spacing : 12.5/20/25KHz . • Power Output : 100 W - Accessories : ❖ Antenna VHF (136-174 MHz) • Omni- directional fiberglass whip Type . • High-gain (6–12 dBi) . • Vertical Polarization . • Maximum power 100 watt or higher . • VSWR less 1- 1.5 . • Length from 1.5 to 4 m . • Weather resistant , Water proof (IP66 or higher) , Corrosion resistant , and UV resistant , lightning resistant . ❖ Grounding: TX and RX antenna structure will be connected to a grounding system using 16 mm² copper conductors and driven ground rods (<5 ohms resistance) . ❖ TX and RX Cable (RG213 or LMR 600) 100 m for each With N-type connectors. ❖ GPS Cable LMR 600 100 m With N-type connectors . - Guaranty for ONE Years For Repeater and Accessories . - Origin : USA , Malaysia , Mexico .
2.	Cabinet 22 U with its accessories (Locks, swing lock, glass front door, top panel reserved fan spots and both front/rear cable entry, cable manager , PDU etc.).
3.	3KVA online UPS 2U Rack Mounted(Additional Accessories) Routable LCD screen, I/O Single Phase 220-240vac output voltage 220vac Built in 4x9AH Batteries.

4.	Programming software (CD original) .
5.	Programming cable for mode .
6.	modern Laptop (14", core i9 10th GEN Processor, DDR4 16GB RAM, 1TB SSD Hard, WIN10) with their for programming & maintenance interface and software .
7.	MOTOROLA MOTOTRBO DP4401EX / VHF - Original MOTOROLA MOTOTRBO DP4401EX Hand portable, Digital Two way Radio Mototrbo . With following features: - Frequency Band: VHF (136-174) MHZ. - Zone Capacity : 2 -Power Supply :7.4V Nominal -Ingress Protection (IP) Rating :IP67 - Typical battery life :min.16 hrs -Receiver : • Channel Spacing :12.5/20/25KHz • Rated Audio :0.5W -Transmitter : • Channel Spacing :12.5/20/25KHz • Power Output:1W - Accessories: • Antenna VHF • 2075 mAh Li- ion Battery(ATEX) • Single Unit Chargers • ATEX 2.5 Belt clip - Programming software (CD original) and cable for model DP4401EX - Origin: Japan, USA , Malaysia. - Guaranty for ONE Years



سید محمد حسین
م. شعبة الاتصالات

3 - Bill of Quantity :-

No.	Description	QTY
1	MOTOROLA MOTOTRBO / Repeater SLR 8000 VHF - Original MOTOROLA MOTOTRBO Repeater SLR 8000 . - Frequency Range (VHF 136-174 MHz) . - Channel Capacity 64 . - Input Voltage (AC) 100-240 VA.C , 47-63 Hz . - Operating Temperature Range -30 to +60 °C (-22 to +140 °F) . - Receiver : • Channel Spacing : 12.5/20/25KHz . - Transmitter : • Channel Spacing : 12.5/20/25KHz . • Power Output : 100 W - Accessories : ❖ Antenna VHF (136-174 MHz) • Omni- directional fiberglass whip Type . • High-gain (6–12 dBi) . • Vertical Polarization . • Maximum power 100 watt or higher . • VSWR less 1- 1.5 . • Length from 1.5 to 4 m . Weather resistant , Water proof (IP66 or higher) , Corrosion resistant , and UV resistant , lightning resistant . - Guaranty for ONE Years . - Origin : USA , Malaysia , Mexico .	1
2	Grounding: TX and RX antenna structure will be connected to a grounding system using 16 mm ² copper conductors and driven ground rods (<5 ohms resistance) 100 m.	1
3	TX and RX Cable (RG213 or LMR 600) 100 m for each With N-type connectors.	1
4	GPS Cable(LMR 600)100 m With N-type connectors .	1



[Handwritten signature]

5	Cabinet 22 U with its accessories (Locks, swing lock, glass front door, top panel reserved fan spots and both front/rear cable entry, cable manager , PDU etc.).	1
6	3KVA online UPS 2U Rack Mounted(Additional Accessories) Routable LCD screen, I/O Single Phase 220-240vac output voltage 220vac Built in 4x9AH Batteries.	1
7	Programming software (CD original) for Repeater SLR 8000.	2
8	Programming cable for Repeater SLR 8000 .	2
9	modern Laptop (14", core i9 10th GEN Processor, DDR4 16GB RAM, 1TB SSD Hard, WIN10) with their for programming & maintenance interface and software.	1
10	MOTOROLA MOTOTRBO DP4401EX / VHF - Original MOTOROLA MOTOTRBO DP4401EX - Hand portable, Digital Two way Radio Mototrbo . With following features: - Frequency Band: VHF (136-174) MHZ. - Zone Capacity : 2 -Power Supply :7.4V Nominal -Ingress Protection (IP) Rating :IP67 - Typical battery life :min.16 hrs -Receiver : • Channel Spacing :12.5/20/25KHz • Rated Audio :0.5W -Transmitter : • Channel Spacing :12.5/20/25KHz • Power Output:1W Accessories: • Antenna VHF • 2075 mAh Li- ion Battery(ATEX) • Single Unit Chargers • ATEX 2.5 Belt clip - Origin: Japan, USA , Malaysia. - Guaranty for ONE Years.	20
11	Programming software (CD original) for model DP4401EX .	1
12	cable Programming for model DP4401EX.	1



4-General requirement

- 1- The contractor is responsible for supplying, installing, programming, operating, testing and commissioning the complete system and must add any required hardware.
- 2- Guaranty: the system is subject to guarantee for 365 days starting after complete installation and commissioning.
- 3- Support: The contractor must be able to provide the needed support for the system at site or remotely depending on the fault nature for 365 days starting after complete installation and commissioning.
- 4- origin:
 - MOTOROLA MOTOTRBO / Repeater SLR 8000 VHF
 - * USA
 - * Malaysia
 - * Mexico
 - MOTOROLA MOTOTRBO DP4401EX / VHF
 - * USA
 - * Malaysia
 - * Japan
- 5- Training:
 - 5 days training course for(5) Five Engineers. The training course must include but not limited to (installation, operation, programming, troubleshooting and maintenance) at SRC office.
- 7- Software: All software must be original. All required software for installation, programming, troubleshooting and maintenance should supplied.
- 8- Manufactures Authorization Form (MAF) Confirmation that the required devices will be supplied through an Authorized Distributor to the South Refineries Company .
- 9- The contractor MUST be licensed from CMC (Commission of Media and Communications) for all the related systems and works included in the bill of quantity

